Workshop 3a: Gas safety in new developments

Speaker: Peter Evans, Radian Housing Chaired by: Andrew Godwin, The Radian Group Room: Warwick Room



Gas safety in new build How confident are you?

Peter Evans, Director of Technical Services Radian Housing Ltd





Radian Housing - context

- 21,000 homes in the south
- 14,000 boilers to service
- 1,000 new boilers annually
- 35 employed gas engineers
- 500 new homes each year
- Gas safe registered
- Services to leaseholders
- 3^{*} maintenance service





Our experiences of gas in new build

Harbour Reach, Poole, 2009

- 349 homes
- 90% defective
- Flues in voids
- Identified during 1st service
- Corgi, HSE & the Police
- National coverage on BBC
- Convictions 2014


Denmead, Hampshire, 2014

- 27 Radian homes
- All not fully compliant
- 2 ID
- Flues not secure
- All had been certificated
- Identified during 1st service
- Notification to HCA & HSE





Examples & evidence



More examples – design issues









The risks

- Resident injury or death
- Legal sanction
- Regulatory sanction
- Reputational damage
- All 4 home standard failures
 relate to gas servicing
- The cost and time associated with remediation of damage caused

Registered providers shall, under the HCA's Home Standard:
"meet all applicable statutory requirements that provide for the health & safety of the occupants of their homes"



Warning signs

- How many boilers commissioned on the same day?
- Contractors immediate response "fitted to instructions"
- Lack of knowledge of gas industry regulation
- Visual appearance of installation
- Incomplete paperwork
- Lack of knowledge or clarity of who did what
- Reliance on CO monitors
- Certification completed before practical completion



Hierarchy of gas industry regulation

Health & Safety at Work etc Act
Gas Safety (installation & Use) Regulations
Building Regulations and their Approved Documents
Manufacturers' Instructions
British Standards (BS, EN, ISO & PD)
UK lpg Standards, IGEM Standards
Other codes of practice:
The Gas Industry Unsafe situations procedure
HVCA
SLEAT

This list is not exhaustive, Source Corgi Direct August 2013





A more robust process

- Radian Gas Manager inspect all new developments
- Involvement during design, installation and completion
- A checklist for visual inspections only
- Training for EA's and Architects
- Checklist for EA's
- Revised & updated Employer's Requirements
- Audit and reassurance
- A check of installers credentials



Any Questions ?

